Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




6239

F. W. Schumacher Hortículturíst

Seeds for the Nurseryman and Forester

1931

Jamaica Plain, Boston, Mass.



FOREWORD

In presenting this list to our customers it has been our desire to give a more comprehensive list of rare items than is commonly found in the trade.

While many new and unusual seeds are mentioned, we wish to make it clear that not all of them can be secured in ample quantities, nor be kept in stock for any length of time, because of their perishable nature. As many of the seeds are collected personally, our customers will assist us greatly in filling requirements by placing their orders ahead of collecting time.

Dependent upon sources of supply, we have found it difficult, especially in part two of the list, to uniformally indicate prices for large and small quantities alike. Those wishing smaller quantities than indicated may order them and we shall do our best to secure the amount specified.

As trained nurserymen, it is our policy to store stock as any nurseryman would do with his own seed. All items requiring immediate stratification are properly stratified in Peat Moss, and will reach you in the same condition as if treated by yourself.

For the good of horticulture we invite your suggestions for additions and improvements in this list and in our seed service in general.

We shall appreciate professional and amateur gardeners collecting and offering to us, rare seed items of trees, shrubs and herbaceous perennials to which they have access.

Terms and Conditions

We aim to execute all orders as received but always subject to yield of crop and safe arrival of our consignments.

All seeds are sold without warranty, expressed or implied, as to description, quality and productiveness. We accept claims for condition of seed only on arrival of goods, and are not liable after seeds have been stored or planted. Claims for damage in transit must be taken up with the transportation Company.

Our terms for payment are: 5% for cash with order; for customers of approved credit, ten days 2%; 30 days net.

F. W. SCHUMACHER

P. O. Box 131

JAMAICA PLAIN, BOSTON, MASS., U. S. A.

Telephone Jamaica 1571

Cable Address Treeseeds Boston



PART I

Forestry Seeds, Seeds of Ornamental Small Leaved Evergreens, Deciduous Trees and Stock Plants (Floriferous items listed Part II)

Prices for larger quantities than indicated, upon request.

Ounce quantities, whenever possible, will be supplied at one-tenth of pound price.

		_	-
	1/4 lb.	1 lb.	10 lbs.
Abies amabilis	4 ó 5 o	\$6.00	• •
arizonica, 1930 crop failed	\$2.70	8.00	
balsamea	1.35	4.00	• •
cephalonica	.95	2.75	• •
cilicica	.95	2.80	• •
concolor, California	.60	1.75	• •
concolor, Colorado	.70	2.00	• •
firma	• •	2.00	• •
fraseri	• • • •	6.00	• •
grandis	1.00	3.00	• •
holophylla	• •	4.00	• •
homolepis	• •	3.00	• •
lasiocarpa (subalpina)		4.50	• •
magnifica shastensis	1.00	3.00	• •
mariesi	::	3.50	
nobilis	.85	2.50	
nordmanniana	.90	2.75	
numidica	1.45	4.25	
pectinata	.45	1.25	
pinsapo	.85	2.50	
pinsapo glauca	.95	2.75	
sachalinensis		5.00	
sibirica	1.70	5.00	
veitchi		3.25	
ACER campestre		.75	
circinatum		2.50	
dasycarpum, order early spring 1931			
ginnala	.50	1.50	
macrophyllum		1.25	
negundo		.75	
platanoides	.25	.75	
pseudoplatanus		.75	
pseudoplatanus atropurpurea		1.50	
rubrum, order early spring 1931			
saccharum		1.10	
AESCULUS californica, order early		.75	
glabra		.70	
hippocastanum		.30	
hippocastanum rubicunda		1.00	
octandra		.75	
turbinata		.65	
AILANTHUS glandulosa	.25	.75	
glandulosa vilmorini	.70	2.00	
ALNUS glutinosa	.40	1.25	
incana	.55	1.75	
viridis	.55	1.75	
BETULA alba	.40	1.10	• • • • • • • • • • • • • • • • • • • •
lenta		2.25	• • • • • • • • • • • • • • • • • • • •
lutea, New England seed40 oz.	1.10	3.25	• •
nigra, order early spring 1931	1.10	0.20	• •
papyrifera	.75	$2.\overline{25}$	• •
populifolia, New England seed	.45	1.25	• •
Populitona, Item England Seed	• • •		••

	1/4 lb.	1 lb.	10 lbs.
BROUSSONETIA papyrifera	1.05	3.25	
CARPINUS betulus	.25	.75	• •
caroliniana	.50	1.50 $.80$	• •
mollissima	• •	1.00	• •
sativa		.75	• •
CATALPA speciosa		1.00	
CEDRELA sinensis	2.50	7.50	
CEDRUS atlantica	.85	2.50	
atlantica argentea	1.00	3.00	
atlantica glauca	1.35	4.00	
deodara libani	.95	2.75	• •
CELTIS australis	1.00	$\frac{3.00}{1.25}$	• •
occidentaiis	• •	$\frac{1.23}{2.00}$	• •
CERCIDIPHYLLUM japonicum	2.00	6.00	
CHAMAECYPARIS lawsoniana	.85	2.50	
lawsoniana argentea	1.20	3.50	
nootkaensis, upon request			
obtusa	.60	1.75	
pisifera	.60	1.75	
pisifera filifera	1.20	5.50	
pisifera plumosa	2.20	6.50	• •
pisifera squarrosa	2.20	$\begin{array}{c} 6.50 \\ 3.50 \end{array}$	• •
CLADRASTIS lutea	$.\dot{40}$	$\frac{3.50}{1.20}$	• •
CRYPTOMERIA japonica	.45	1.25	• •
japonica elegans	1.60	4.50	
japonica lobbi	1.70	5.00	
CUNNINGHAMIA lanceolata (sinensis)	1.35	4.00	
CUPRESSUS arizonica	.85	2.50	
australis	1.35	4.00	
benthami	1.25	3.75	
benthami knightiana (elegans)	1.65	5.00	• •
benthami lindleyi	$\frac{1.35}{1.00}$	$\frac{4.00}{3.00}$	• •
funebris goveniana	.95	2.80	
goveniana glauca pendula	1.30	3.80	• •
lusitanica	.85	2.50	
macnabiana	1.35	4.00	
macrocarpa	.95	2.75	
sempervirens	.45	1.25	
sempervirens horizontalis	.45	1.25	
torulosa	1.00	3.00	• •
torulosa corneyana	1.60	4.75	
torulosa majestica	1.35	$\frac{4.00}{1.00}$	• •
DIOSPYROS japonicakaki	• •	1.50 1.50	• •
lotus		1.20	
virginiana		.80	
FAGUS americana, upon request			
sylvatica	.35	1.00	
sylvatica purpurea	1.00	3.00	
FRAXINUS americana	.30	.85	
excelsior	.25	.75	• •
mandshurica	$.70 \\ .30$	$\begin{array}{c} 2.00 \\ 1.00 \end{array}$	• •
GLEDITSCHIA japonica		$\begin{array}{c} 1.00 \\ 2.25 \end{array}$	
horrida	.50	$\frac{225}{1.50}$	•
triacanthos	.25	.75	
triacanthos inermis	.45	1.30	
GYMNOCLADUS dioica	.50	1.50	

	¼ lb.	1 lb.	10 lbs.
HALESIA tetraptera	.45	1.25	• •
glabra (porcina) laciniosa, pecan. Prices upon request.			
Fall 1931			
JUGLANS californica, cinerea, mandshurica, nigra, regia, sieboldiana, sieboldiana cordiformis.			
Prices upon request Fall 1931 JUNIPERUS bermudiana	.85	$2.\overline{50}$	• •
chinensis, clean seed	.85	$\begin{array}{c} 2.50 \\ 2.50 \end{array}$	• •
chinensis, dry berries		1.00	• •
chinensis horizontalis, Korean prostrate Juniper	1.80	5.50	• • • • • • • • • • • • • • • • • • • •
chinensis sargenti	1.80	5.50	
communis	• •	.40	
communis canadensis	.60	1.80	
communis depressa	.60	1.80	
communis pyramidalis	.35	1.00	
conferta (litoralis)	.50	1.50	
drupacea	.70	2.00	
excelsa	.70	2.00	
horizontalis	1 00	2.00	
horizontalis douglasi	1.00	3.00	• •
japonica	.80	2.30	• •
macrocarpa	.50	1.50	• •
oxycedrus	.45	$\frac{1.25}{1.75}$	• •
phoenicea, for shore planting in the South procumbens, Chinese Creeping Juniper	.60 $.55$	$1.75 \\ 1.60$	• •
rigida, clean seed	1.00	$\frac{1.60}{2.50}$	• •
rigida, nana	1.25	$\frac{2.50}{3.50}$	• •
sabina	.75	2.25	• •
sabina tamariscifolia, Spanish Juniper	.85	2.50	• •
scopulorum, from Colorado	.35	1.00	• • •
scopulorum, hardy form from Montanataxifolia, new very dwarf Juniper from	.60	1.75	••
Japan oz. \$2.20	6.50		
virginiana, Platte River		1.00	
virginiana, Southern seed		1.00	
virginiana argentea		2.20	
KOELREUTERIA paniculata	.35	1.00	
LARIX dahurica	• •	4.00	
europaea, from South Central Europe Sudeten Larch, a hardier Mountain strain from	.60	2.00	17.50
Germany	1.35	4.00	37.50
Large grained Seed from the Western High Alps,			
the hardiest strain; much recommended for its			
straight and rapid growth. Price upon request.	4 00		
koraiensis	1.60	4.75	05.00
leptolepis	1.25	$\frac{3.75}{5.00}$	35.00
occidentalissibirica	$1.\overset{\cdot}{20}$	3.50	32.50
L'BOCEDRUS decurrens	.85	$\frac{3.50}{2.50}$	
LIQUIDAMBAR styraciflua	.85	$\frac{2.50}{2.50}$	• •
LIRIORENDRON tulipifera		1.00	• •
MACLURA pomifera	• • •	1.50	• • •
MAGNOLIA acuminata	.70	2.00	
glauca	.70	2.00	
grandiflora	.50	1.50	
MALUS, asiatica, Korean Wild Apple	2.50	7.50	
baccata mandshurica	1.25	3.00	
baccata sibirica	2.25	6.50	
coronaria oz75	2.25	7.50	
prunifolia	1.50	4.50	

MAINIC Continued	¼ lb.	1 lb.	10 lbs.
MALUS —Continued prunifolia rinki	1.60	4.75	
sieboldi (toringo), dried in fruit	.85	$\frac{4.75}{2.50}$	
sylvestris, American seed from hardy apples, no		2.00	
Crab seedsylvestris, Austrian seed from wild trees	• •	$\frac{2.00}{1.25}$	• •
zumi, clean seed oz. 1.10	3.30		• •
MORUS acidosa	1.35	4.00	• •
alba	.50	$\frac{4.00}{1.50}$	• •
alba, black fruited form	.75	$\frac{1.30}{2.25}$	
alba macrophylla (Moretti) oz45	1.10	3.25	
alba, pink fruited variety oz35	1.00	3.00	
alba, red leaved variety oz60	1.50	• • •	
alba tartarica, domestic	.70	2.00	
alba tartarica, imported	.50	1.50	
nigra, large fruited, succeeding in light			
sandy soils oz. 1.10	3.30		
rubra, Cedrona variety oz75	2.25	• •	
NYSSA aquatica	.35	1.00	
sylvatica	.40	1.20	
OSTRYA carpinifolia	.75	2.25	
OXYDENDRUM arboreum	.40	1.20	
PHELLODENDRON amurense	.75	2.20	
PICEA alcockiana	1.85	5.50	
breweriana, in crop years on request.	1.00	0.00	• •
canadensis, White spruce, prices for New England			
and Canadian seed upon request.			
canadensis, imported 80-90%	.85	2.50	
canadensis, Black Hills Spruce	1.70	5.00	
engelmanni	1.35	4.00	
excelsa, Norway Spruce		4.00	
seed from South Central Europe	.45	1.30	• •
seed from North Central Europe	.50 .75	$1.50 \\ 2.25$	• •
seed from Scandinaviaexcelsa borealis, Polar Spruce	1.25	$\frac{2.25}{3.75}$	• •
glehni	2.00	6.00	• •
jezoensis	$1.8\overline{5}$	5.40	• •
jezoensis hondoensis	1.75	5.25	
kayamai (koraiensis)		5.00	
mariana, New England	3.00	9.00	
maximowicziana	3.75		
obovata, from Siberia	1.35	4.10	
obovata koraiensis	1.75	5.25	
omorika, true to name ¼ oz. 1.65 oz. 5.00 orientalis oz. 1.33	$\substack{15.00\\4.00}$	12.00	
	$\begin{array}{c} 4.00 \\ 1.45 \end{array}$	$\frac{12.00}{4.25}$	
politapungens, North Colorado	1.35	4.00	• •
pungens glauca	$\frac{1.00}{2.20}$	6.50	
pungens glauca, hand picked from blue trees	$\frac{2.20}{4.20}$	12.50	
rubra, New England	2.70	8.00	
sitchensis		5.75	
smithiana (morinda)	2.35	7.00	
PINUS albicaulis, in crop years on early order	• •	12.00	
- aristata	.75	2.25	
banksiana	1.20	3.60	
bungeana	.70 .60	$\frac{2.00}{1.75}$	• •
canariensis caribaea		6.00	• •
cembra, high grade seed from the Alps of Tyrol	.35	1.00	• •
contorta, California	1.70	5.00	•
contorta, Washington	2.20	6.50	
coulteri	1.85	5.50	

	¼ lb.	1 lb.	10 lbs.
PINUS—Continued			
densiflora	.50	1.50	
echinata		6.00	
edulis		1.00	• •
excelsa	1.00	3.00	
flexilis	1.00	3.00	• •
halepensis	.60	1.80	• •
jeffreyi	1.00	3.00	• •
koraiensis	.45	1.25	• •
	.50	1.40	• •
leucodermisluchuensis	$\frac{1.60}{1.20}$	4.80	• •
	.95	$\begin{array}{c} 3.50 \\ 2.80 \end{array}$	• •
massoniana montana mughus	.95 .85	$\frac{2.80}{2.50}$	• •
montana mughus, selected dwarf strain	$\begin{array}{c} .85 \\ 1.20 \end{array}$		• •
	.85	$\frac{3.50}{2.50}$	• •
montana pumilio montana uncinata		$\frac{2.50}{2.75}$	• •
monticola	0.95 1.75	$\frac{2.75}{5.25}$	• •
muricata	2.35	$\frac{5.25}{7.00}$	• •
murrayana, Colorado	$\frac{2.35}{1.70}$	5.00	• •
murrayana, Pacific Coast	$\frac{1.70}{2.85}$	8.50	• •
nigra (austriaca)	.70	2.00	17.50
nigra cebennensis, seed from Pyrenees	1.70	$\frac{2.00}{5.00}$	40.00
nigra poiretiana (laricio corsica)	1.10	0.00	40.00
seed from Corsica, collected near sea level	1.05	3.10	28.00
seed from Corsica, collected 4500-5000 feet	2.00	0.10	-0.00
above sea level	1.70	5.00	46.00
seed from Calabria	1.70	5.00	46.00
palustris	.70	2.00	20.00
parviflora (pentaphylla)	.95	2.80	
- peuce	1.35	4.00	• • •
pinaster (maritima)			
seed from coast level	.30	.90	
seed from Corsica, collected 4500 feet above			
sea level	.60	1.75	15.00
pinea	.35	1.00	9.00
ponderosa, Colorado	.60	1.75	
ponderosa, Pacific Coast	.85	2.50	
pumila	1.50	4.50	
radiata (insignis)	1.10	3.20	
resinosa, Red or Norway Pine, from New Hamp-			
shire	3.20	9.50	
resinosa, from Wisconsin	3.00	9.00	
sabiniana	.50	1.50	
strobus, American White Pine, Canadian seed	.85	2.50	23.00
strobus, very best New England Seed		5.00	47.50
sylvestris, Scotch Pine			
from South Central Europe		2.00	17.50
from Eastern Germany, a hardy inland strain;			
seed collected in forests approved by the Gov-			
ernment for seed collection. This Pine grows			
faster than strains of Scandinavia or Finland			
and is hardier than those from Austria,			
France and Scotland, Germination 85-90%		3.80	35.00
Rigensis variety, from Finland 80-90%		4.50	40.00
tabulaeformis	.95	2.75	
taeda	1.85	5.50	
taiwanensis, Formosa Red Pine	2.50	6.50	
tanyosho 1 oz. 2.50	7.50		
thunbergi		2.00	
PLATANUS occidentalis		.75	
orientalis	• •	1.00	

	⅓ lb.	1 lb.	10 lbs.
PRUNUS avium, mazzard		.80	
avium, straight silver-stemmed woodcherry; the best stock for cherries. Prices in June.			
cerasus		1.00	
mahaleb, clean stones		1.00	
padus	.40	1.20	
serotina, clean stones	.45	1.25	
virginiana, clean stones	.45	1.40	• •
PSEUDOLARIX kaempferi	.75	2.25	
PSEUDOTSUGA douglasi, Colorado-Montana	1.70	5.00	
douglasi, green, Washington	1.70	5.00	
douglasi, green, California	1.50	4.50	
PYRUS, pear seed for stock			
betulaefolia, Chinese wild pear	1.20	3.50	
calleryana, Korean wild pear	2.00	6.00	• • •
communis, from wild trees	.50	1.50	
fauriei, Korean wild pear		5.00	
serotina	1.50	4.50	
ussuriensis, Manchurian pear, from wild trees		5.75	
ussuriensis, cultivated form Man-Yen-Shang	2.20	6.50	
ussuriensis, cultivated form Cheng-Pa-Li	2.20	6.50	
QUERCUS—prices for all acorns in fall, upon request.			
We collect ourselves Northern seed of the fol-			
lowing: alba, bicolor, coccinea, ilicifolia (or-			
der early), macrocarpa, macrocarpa olivae-			
formis, palustris, prinus, rubra, velutina.			
Other Quercus we supply: lyrata, nigra, phel-			
los, suber.			
ROBINIA pseudoacacia	.30	.80	
SCIADOPITYS verticillata	1.35	4.00	• • •
SEQUOIA gigantea	3.35	10.00	• •
sempervirens	1.00	3.00	
SOPHORA japonica, clean seed	.40	1.20	
SORBUS Americana	.40	1.10	
aria	.40	1.20	
aucuparia	.35	1.00	
quercifolia	.40	1.50	
scandica	.40	1.25	
torminalis	.50	1.50	
TAXODIUM distichum		1.20	
TAXUS baccata	.70	2.10	
baccata adpressa	1.20	3.60	
baccata fastigiata hibernica	1.25	3.80	
baccata pyramidalis	1.20	3.60	
brevifolia, Pacific Coast Yew	3.75	11.00	
brevifolia cuspidata	.75	2.30	21.00
TAIWANIA cryptomerioides, price upon request.			
THUJA koraiensis	1.65	5.00	
occidentalis, American seed	1.15	3.50	
occidentalis pyramidalis	1.50	6.00	• •
occidentalis warreana	1.50	6.00	• •
orientalis	.45	1.25	• •
orientalis aurea	.85	2.50	• •
orientalis compacta	.75	$\frac{2.25}{2.25}$	• •
orientalis elegantissima	$\substack{\textbf{1.10}\\.85}$	$\frac{3.25}{2.50}$	• •
orientalis nana	.85 .75	$\begin{array}{c} 2.50 \\ 2.25 \end{array}$	• •
orientalis pyramidalis orientalis semperaurea	.75	2.23 2.50	• •
orientalis semperaureaorientalis tatarica	1.00	$\frac{2.30}{3.00}$	• •
plicata	$\begin{array}{c} 1.65 \\ 1.65 \end{array}$	5.00	• •
standishi (japonica)	1.65	5.00	• •
Position (Japonica)	1.00	0.00	

F. W. SCHUMACHER

	¼ lb.	1 lb.	10 lbs.
TILIA americana		1.25	
cordata (parvifolia)	.35	1.00	
platyphyllos (grandifolia)	.40	1.10	
tomentosa	.40	1.20	
TORREYA nucifera	.40	1.25	
TSUGA canadensis, Northern seed. Prices upon reques	t.		
caroliniana. Ćrop failed.			
diversifolia	1.65	5.00	
heterophylla oz. 1.00	3.00	9.00	
mertensiana (pattoniana) oz. 1.25	3.35	10.00	
sieboldi	1.65	5.00	
ULMUS americana. We supply New England seed of			
our own collection only. This item is ready			
about two months later than seed from south-			
ern sources. Order in May		1.00	7.50
campestris. Supplied from our own collection			
only. Order in May		1.20	9.50
pumila, Asiatic Elm—seed from Northern source			
on the Asiatic mainland. Order in February.		2.35	21.00

PART II
Seeds of Broad Leaved Evergreens and Deciduous Flowering
Trees and Shrubs

	1,000 seeds	1/32 oz.	1/16 0Z	1/4 oz.	1 oz.
AZALEA arborescens\$.50			\$1.50	\$4.00
calendulacea, seed from wild plants	.25			.50	1.25
calendulacea from plants in cultivation,					
own collected seed	.40			.75	2.25
calendulacea x arborescens Hybrids	1.00	• •	• •		
confertissima	• •	• •	• •	1.00	3.00
dilatatum, similar to rhombicum with	.50			1.50	4.50
larger leavesgandavensis, Ghent Hybrid Azaleas	.50	• • •	• •	1.50 1.50	5.00
hinodigiri	.50	• •		1.50	4.50
indica (large flowered green-house aza-	.00	••	• •	1.00	4.00
lea) seed gathered from choice collec-					
tion			.75	2.35	7.00
indica alba and rosea, see Ledifolia.					
indica macrantha	.50			1.50	4.50
indica macrantha hybrida, a new race for					
green-house and outdoors, comprising					
a wide range of colors; seed gathered	1 05		0 50		0.00
	$1.25 \\ .40$	• •	2.50	1.00	$\frac{8.00}{3.00}$
Japonicakaempferi, American seed	.50	• •		1.50	5.00
kaempferi, imported	.30	• •	• • •	1.10	3.25
ledifolia alba Nordtiana (Japonica alba	•••		• •	2.20	0.20
grandiflora)	.60			1.25	3.75
ledifolia rosea			1.25	4.50	
macropospatum				1.75	5.50
mollis, from choice European collection	.40			1.35	4.00
mollis, seed from Japan		• •	• •	.35	1.00
mollis hybrida Louisa Hunnewell	.80	• •	• •	1 00	0.50
mucronulatum	$\begin{array}{c} .50 \\ .25 \end{array}$	• •	• •	$\frac{1.00}{.70}$	$\frac{3.50}{2.00}$
nudifloraobtusa Benigiri	.20	• •	1.35	4.25	12.00
obtusa Kurume, American seed	.80		1.00	4.20	12.00
obtusa Kurume, seed from Japan	•••			1.00	3.00
obtusa Kurume, from choice Japanese					
collection of named varieties	.80		1.35	4.00	16.00
occidentalis	.25			.50	1.50
pontica macrantha, large flowered va-					
riety with fragrant yellow flowers	::	• •	• •	.85	3.50
pontica type	.45	• •	• •	.85	2.50
poukhanensis, American seed	.80 .30	• •	• •	.75	2.00
poukhanensis, seed from Japanprocumbens (Loiseleuria proc.) charm-	.50	• •	• •	.10	2.00
ing alpine species		1.20	1.50	6.00	
quinquefolia			.85	2.50	8.00
rhombica (reticulata)			.50	1.50	5.00
rosea	.50			1.50	• •
serphy llifolium	. ::		1.00	3.50	• •
schlippenbachi, American seed	1.50	• •	• •		0.50
schlippenbachi, seed from Japan	.35	• •	• •	.85 .85	$\frac{2.50}{2.50}$
sinensisvaseyi, clean seed	• •	• •	.70	2.00	6.00
yedoensis (yodogawa) double form of	• •	• •	.10	2.00	0.00
poukhanensis			1.50	4.00	12.00
RHODODENDRON ambiguum		.75			
arboreum				.75	2.00
argenteum		• •	• •	.75	2.00

DHODODENDRON G I'	1,000	1/32	1/16		
RHODODENDRON—Continued	seeds	oz.	oz.	1/4 oz.	1 oz.
brachycarpum				.90	2.75
campanulata	.65			1.65	5.00
californicum				.50	2.00
catawbiense				.50	2.00
catawbiense compactum				.50	2.00
catawbiense grandiflorum	.50			1.25	4.00
catawbiense Hybrids, seeds from choice					
collection				.75	2.50
catawbiense x arboreum Hybrids, choice				***	
hardy varieties from a specialist					
in Northern Europe				1.15	3.50
carolinianum				.60	2.00
caucasicum	.40	• • •			
chartophyllum	• • • •	.75			• •
chrysanthum				1.00	3.00
ciliatum	• •	.65			3.00
ferrugineum	• •		• •	.50	1.50
fortunei	.40	• •	• •		1.00
hirsutum	.40	• •	• •		1.50
	• •	• •	75	.50	
keiskei	• •	75	.75	2.50	7.50
lutescens	• •	.75	• •	ֈ	1 50
maximum		• •	• •	.50	1.50
metternichi	.40	• •	• •	.70	2.00
micranthum	.75	<u>::</u>	• •	• •	
oleifolium	::	.75	. ::	• •	• •
oreodoxa	.50	• •	1.50	::	. : :
ponticum, American seed			• •	.85	2.50
ponticum, imported seed		• •		.50	1.60
ponticum, Hybrids		• •		.60	1.75
racemosum		.75		• •	
racemosumsmirnovi		.75	$.\overline{50}$	$1.\overline{50}$	• •
smirnovi yunnanense		.75	.50		
smirnovi		.75	.50		
smirnovi yunnanense	seeds w	.75 vill be sen	.50 t upon	request.	• •
smirnoviyunnanenseA more complete list of Rhododendron s	seeds w	.75 vill be sen 1 oz.	.50		10 lb.
smirnovi	seeds w	.75 vill be sen 1 oz.	.50 t upon '4 lb.	request.	10 lb.
smirnovi	seeds w	.75 vill be sen 1 oz.	.50 t upon '¼ lb. 2.60	request.	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis	seeds w	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60	request. 1 lb. 8.00	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama	seeds w	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15	request. 1 lb. 8.00 6.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata	seeds w 4 oz. 1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00	request. 1 lb. 8.00	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata	seeds w 4 oz. 1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00	request. 1 lb. 8.00 6.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin	seeds w 4 oz. 1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00	request. 1 lb. 8.00 6.50 1.75	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis	seeds w 4 oz. 1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00	1 lb. 8.00 6.50 1.75 2.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia	seeds w 1/4 oz. 1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00	request. 1 lb. 8.00 6.50 1.75	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens	1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00 .50 .85	1 lb. 8.00 6.50 1.75 2.50 2.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans	seeds w 1/4 oz. 1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00 .50 .85 .85	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens	seeds w 1/4 oz. 1.65	.75 vill be sen 1 oz 5.00	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00 .50 .85 50	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans	seeds w 4 oz. 1.65	.75 vill be sen 1 oz 5.00 25 1.25	.50 t upon '¼ lb. 2.60 2.15 1.00 .50 .85 .85	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana	1.65	.75 vill be sen 1 oz 5.00 25 1.25	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00 .50 .85 50	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana	1.65	.75 vill be sen 1 oz 5.00 25 1.25 20	.50 t upon '¼ lb 2.60 2.15 1.00 1.00 .85 .8550 .25 .50 1.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana	1.65	.75 vill be sen 1 oz 5.00 25 1.25 20	.50 t upon '¼ lb 2.60 2.15 1.00 1.00 .85 .8550 .25 .50 1.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana	1.65	.75 vill be sen 1 oz 5.00 25 1.25 20 35 00 seeds	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00 .85 .85 .50 2.50	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maxi-	1.65	.75 vill be sen 1 oz 5.00 25 1.25 20 35 00 seeds	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00 .85 .85 .50 2.50	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maxi- mowiczi) Porcelain A. named for the striking color of its fruit, very hand-	1.65	.75 vill be sen 1 oz 5.00 25 1.25 20 35 00 seeds	.50 t upon '¼ lb. 2.60 2.15 1.00 1.00 .85 .85 .50 2.50	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maxi- mowiczi) Porcelain A. named for the striking color of its fruit, very hand-	seeds w 1/4 oz		.50t upon '¼ lb 2.60 1.00 .50 .85 .50 .25 .50 1.00 2.50 3.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maxi- mowiczi) Porcelain A. named for the striking color of its fruit, very hand- some with its Vitis like foliage	1.65		.50 t upon '¼ lb. 2.60 2.15 1.00 1.00 .85 .85 .50 2.50	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maxi- mowiczi) Porcelain A. named for the striking color of its fruit, very hand- some with its Vitis like foliage heterophylla amurensis (brevi-pedun-	seeds w 1/4 oz	.75 vill be sen 1 oz 5.00 25 1.25 20 35 00 seeds 1.00	.50 t upon '¼ lb. 2.60 1.00 .50 .85 .50 .25 .50 1.00 2.50 3.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maximowiczi) Porcelain A. named for the striking color of its fruit, very handsome with its Vitis like foliage heterophylla amurensis (brevi-pedunculata)	seeds w 4 oz. 1.6540 10		.50t upon '14 lb 2.60 2.15 1.00 50 85 50 1.00 2.50 3.00 3.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 80 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maximowiczi) Porcelain A. named for the striking color of its fruit, very hand- some with its Vitis like foliage heterophylla amurensis (brevi-pedunculata) megalophylla 100 seeds .40	seeds w 1/4 oz		.50 .t upon '¼ lb 2.60 2.15 1.00 .50 .85 .8550 2.50 1.00 2.50 3.00 3.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maximowiczi) Porcelain A. named for the striking color of its fruit, very handsome with its Vitis like foliage heterophylla amurensis (brevi-pedunculata) megalophylla 100 seeds .40 quinquefolia 100 seeds .40	seeds w ½ oz. 1.65		.50t upon '14 lb 2.60 2.15 1.00 50 85 50 1.00 2.50 3.00 3.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maxi- mowiczi) Porcelain A. named for the striking color of its fruit, very hand- some with its Vitis like foliage heterophylla amurensis (brevi-pedun- culata) megalophylla 100 seeds .40 quinquefolia tricuspidata (veitchi), American seed,	seeds w ¼ oz		.50 t upon '¼ lb 2.60 1.00 .50 .85 .50 .25 .50 1.00 2.50 3.00 3.00 1.50 2.60	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 1.75	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maximowiczi) Porcelain A. named for the striking color of its fruit, very hand- some with its Vitis like foliage heterophylla amurensis (brevi-pedunculata) megalophylla 100 seeds .40 quinquefolia tricuspidata (veitchi), American seed, dry berries	seeds w ½ oz. 1.65		.50 .t upon '¼ lb 2.60 2.15 1.00 .50 .85 .8550 2.50 1.00 2.50 3.00 3.00	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 1.50	10 lb.
smirnovi yunnanense A more complete list of Rhododendron s ABELIA grandiflorapkt35 trade pkt60 ACTINIDIA arguta chinensis polygama AKEBIA lobata quinata ALBIZZIA julibrissin AMELANCHIER canadensis oblongifolia AMORPHA canescens fragans fruticosa glabra microphylla nana AMPELOPSIS aconitifolia, 100 seeds .50, henryana heterophylla (brevipedunculata maxi- mowiczi) Porcelain A. named for the striking color of its fruit, very hand- some with its Vitis like foliage heterophylla amurensis (brevi-pedun- culata) megalophylla 100 seeds .40 quinquefolia tricuspidata (veitchi), American seed,	seeds w ¼ oz		.50 t upon '¼ lb 2.60 1.00 .50 .85 .50 .25 .50 1.00 2.50 3.00 3.00 1.50 2.60	1 lb. 8.00 6.50 1.75 2.50 2.50 1.50 1.75	10 lb.

ARCTOSTAPHYLUS alpina (Arctous	¼ oz.	1 oz.	'¼ lb.	1 lb.	10 lb.
alpina)	3.35				
glauca (manzanita)			1.10	3.20	
tomentosa			1.10	3.20	
uvae ursi			1.00	3.00	
ARONIA arbutifolia			.35	1.00	• • •
melanocarpa			.35	1.00	
AZALEA—listed on page — 10	• •	• •	.55	1.00	• •
DENIZORY (Lindens) - artistal				1.05	
BENZOIN (Lindera) aestivale		• •	1 05	1.25	• •
obtusilobum		• •	1.25	3.75	• •
praecox		• •	1.45	4.25	
BERBERIS aggregata 100 seeds .40	10		ds 2.25		
amurensis, dry berries	• •	.35	1.00	3.00	
amurensis, clean seed		.60	1.75	5.25	
candidula pkt45					
coryi pkt45			• •		
darwini, evergeen pkt50		1.50			
darwini nana, evergreen pkt50					
ferox pkt40					
gagnepainipkt45					
hookeri, evergreen, dwarf pkt50					
koreana, Korean red leaved B. dry			1.00	3.00	
	· ·	.60	1.80	5.50	
koreana, Korean red leaved B. clean seed			1.00		• •
polyantha pkt35	•••	•••	1 4.00	• •	• •
pruinosa 100 seeds .75			ds 4.00		
sargentiana pkt40	• •	.70	2.00	• •	
sieboldi	• •	.70	2.00	_ ::	
sinensis, clean seed		.85	2.50	7.50	
stenophyla, evergreen pkt45					
stenophyla, Hybrids pkt40					
subcauliata 1000 seeds .80					
thunbergi, clean seed			1.35	4.00	
vernae Hybrids pkt45					
verruculosa pkt45					
Wilsonae	.60	1.75	5.00		
Wilsonae stapfiana pkt45				• • •	
BIGNONIA grandiflora		.65	2.00	• •	• • •
radicans		.00	.70	2.10	
BRUCKENTHALIA spiculifoliapkt50	• •				• •
	60	• •	• •	• •	• •
BUDDLEIA davidi (variabilis), clean seed	.20	• •	• •	• •	• •
davidi magnifica, clean seed		• •	• •	• •	• •
davidi veitchiana		::	4 ::	• •	• •
BUXUS japonica		.50	1.50	• •	• •
microphylla koreana		.75	2.25		
sempervirens		.25	.75		
CALLICARPA americana		.30	.80	1.60	
giraldiana	.45	1.25			
mollis		1.00	3.00		
purpurea (dichotoma)	.75	2.50			
CALLUNA vulgaris, clean seed		3.00			
CALYCANTHUS floridus			.60	1.80	
occidentalis			.85	2.50	
CARAGANA arborescens, American seed	• •		.50	1.50	• • •
chamlagu		1.00	.00	1.00	• •
microphylla mandshurica		1.00	• •	• •	• •
CARPENTERIA californica			• •	• •	• •
		3.00	1 00	• •	• •
CEANOTHUS americanus		.40	1.20	• •	• •
arboreus		1.00	• •	• •	• •
arboreus, Hybrids	• •	1.00	• •	• •	• •
azureus	• •	1.00			
cyaneus		1.50			
divaricatus		1.00			
spinosus		1.00			
thyrsiflorus		.75			
velutinus			1.50	4.50	
19					

	1/4 oz.	1 oz.	(1/ 1h	1 lb.	10 lb.
CEDDEL A sinongia			'¼ lb.		
CEDRELA sinensis	.75	2.50	7.50	• •	• •
CELASTRUS orbiculatus (articulatus)	• •	.95	2.75	• •	• •
scandens	• •	.40	1.50	• •	• •
CEPHALANTHUS occidentalis		.35	1.00	• •	• •
CERCIS canadensis		.50	1.50	• •	• •
chinensis		1.25	3.75	• •	• •
occidentalis		.85	2.50	. ::	• •
siliquastrum		.20	.40	1.20	
siliquastrum alba, white flowering		.30	.85	2.50	
CHIONANTHUS virginica			1.35	4.00	
CHLORANTHUS glaber 100 seeds 1.25,	1000 se	eds 8.00)		
CISTUS albidus pkt45	1.50	4.50			
corsicus pkt45	1.75	5.25			
crispus pkt45	1.85	5.50			
laurifolius pkt45	2.15	6.50			
monspeliensis pkt45	1.75	5.25			
salviaefolius pkt45	1.75	5.25			
CLEMATIS alpina pkt40					
angustifolia		.55	1.65		
flammula		.20	.50		
fremonti	.60	1.75			
fusca mandshurica		.40	1.20		
graveolens					
heracleaefolia davidiana		.55	1.65		
heracleaefolia davidiana, Hybrids			2.00		
integrifolia	.60	1.75	2.00		
integrifolia, Hybrids pkt35	•••		• • • • • • • • • • • • • • • • • • • •	• • •	• • • • • • • • • • • • • • • • • • • •
montana					
montana grandiflora		$1.\overline{25}$		• •	• •
montana grandmora			• •	• •	• •
montana rubens		3.00	• •	• •	• •
orientalis			• •	• •	• •
		0.5	0.5	0.50	• •
paniculata		.25	.85	2.50	• •
patens	7.0	.85	2.50	• •	• •
recta	.70	2.00	• •	• •	• •
recta mandshurica (6 feet tall)	.75	2.25	• •	• •	• •
recta purpurea pkt35	• •	0:0	• •	• •	• •
serratifolia	.85	2.50	• •	• •	• •
tangutica		1.50	• •	• •	• •
texensis (coccinea)	.70	2.00	• •	• •	• •
texensis, Hybrids	2.10	. ::	• •		
virginiana		1.50	::		
vitalba		.15	.35	1.00	
viticella		.20	.50	1.50	
Wilsoni			::		
large flowered Hybrids		1.60	5.00		
CLERODENDRON trichotomum			.85	2.50	
trichotomum fargesi		.85			
CLETHRA alnifolia, in hull			.50	1.50	
alnifolia, clean seed	.85	2.50			
barbinervis	.75	2.00			
fargesi, clean seed	.75	2.00			
COLUTEA arborescens			.35	1.00	
purpurea			.50	1.50	
CORIARIA japonica			1.50	4.50	
myrtifolia		.25	.75	2.25	
CORNUS alba siberica			.50	1.50	
amomum			.30	1.00	
florida	• • •		.20	.55	5.00
kousa		• • •	1.20	3.50	
mas	• • •		.35	1.05	• •
nuttali				1.50	• • •
officinalis		::	1.65	5.00	• • •
sanguinea	• • •		.40	1.25	• • •
~~115 WIII C W		• •		1.20	• •

	½ oz.	1 oz.	'¼ lb.	1 lb.	10 lb.
CORONILLA emurus		.50	1.50	4.50	• •
glauca		.45	1.35	4.00	• •
COTONEASTER acutifolia	.40				
adpressa pkt45	1.1				
apiculata	.40	1.25		• •	
bullata pkt30	• •		0.40	• •	
buxifolia congesta, dwarf evergreen pkt30	.25	.80	2.40	• •	• •
dielsiana pkt30	.23	• •	• •	• •	• •
divaricatapkt50	• •	1.00	3.00	• •	• •
franchetti, clean seed		1.00	3.00	• •	• •
frigida	.35	1.00	•••	• •	• • •
henryi	.50	1.50			
horizontalis		.30	.90	2.75	
horizontalis perpusilla pkt35					
horizontalis purpurea pkt35					
humifusa pkt45	.80	2.50			
hupehensis	.50	1.50			
microphylla	.50	1.50			
microphylla thymifolia	.50	1.50	• •		• •
moupinensispkt35		1 05	• •	• •	• •
multiflora calocarpanitens	$.40 \\ .40$	$\frac{1.25}{1.25}$	• •	• •	• •
pannosa, clean seed		.75	2.00	• •	• •
praecox	• •	.45	1.35	4.00	
prostrata pkt45	• •		1.00	4.00	
racemiflora soongarica	• •	$.\overline{50}$	1.50		
salicifolia pkt45					
salicifolia rugosa		1.20	3.60		
simonsi			.85	2.50	
CRATAEGUS aprica			.20	.60	3.00
arnoldiana			.20	.60	3.00
azarolus			.40	1.25	. ::
coccinea		• •	.20	.40	3.00
coccinoides		• •	.25	.60	4.50
cordata (phaenopyrum)		• •	.30	$.90 \\ .50$	$\frac{8.00}{4.00}$
crusgallilavellei (Carrieri)			$.20 \\ .40$	1.25	11.00
macrantha	• •		.20	.50	4.00
modesta	• •		.25	.75	4.00
mollis			.30	.80	7.50
monogyna, clean seed			.45	1.25	11.00
nitida			.25	.60	4.50
oxyacantha, clean seed			.45	1.25	10.00
prunifolia			.25	.75	5.00
punctata			.20	.60	4.50
rotundifolia		• •	.35	1.00	
succulenta		• •	.35	1.00	9.00
tomentosa		00	.30	.80	7.50
CYDONIA cathayensisjaponica, American seed		$.90 \\ .40$	$1.\overline{50}$	5.00	• •
japonica imported	• •	.40	1.15	3.50	• •
maulei superba	.75	2.25	1.10	3.00	• •
maulei			1.15	3.50	
CYTISUS battandieri 1/16 oz85	2.50				
elongatus	.85	2.50			
glabrescens	1.20	3.50			
hirsutus	.50	1.50			
monspessulanus (candicans)	.50	1.50			
multiflorus (albus)	• •	.30	1.00	3.00	
nigricans	0.00	.50	1.50		• •
praecox 1/16 oz65	$\frac{2.00}{.25}$.75	• •	• •	• •
proliferus albidus		3.75	• •	• •	• •
purpureus	1.40	0.10	• •	• •	• •

CYTISUS—Continued	½ oz.	1 oz.	'¼ lb.	1 lb.	10 lb
scoparius		.20	.40	1.25	
scoparius andreana		2.75	::	. ::	
scoparius stricta	0.5	$\frac{.25}{0.50}$.85	2.50	• •
sessilifoliussupinus (capitatus)	$.85 \\ .75$	$\substack{2.50 \\ 2.25}$	• •	• •	• •
weldeni		.25	1.00	• •	• •
DAPHNE cneorum		24.00	1.00	• •	• • •
laureola	•••	.60	2.00	6.00	
mezereum		.50	1.75	5.80	
mezereum album	1.65	5.00			
DAPHNIPHYLLUM humile		.50	1.50	4.50	
macropodum	• •	.50	1.50	4.50	• •
DECAISNEA fargesi pkt45 DESMODIUM cinerascens (spicatum)	.45	• •	• •	• •	• •
nutans	.45			• •	
DEUTZIA gracilis		$.\overline{50}$	• •	• •	• •
scabra	.20	.50			
scabra crenata	.20	.50			
vilmorinae	1.35				
DIERVILLA florida venusta, one of the					
handsomest and hardiest D., clean			1 05	0	
seed	• •	• •	1.85	5.50	• •
japonica pkt45		• •	1.65	5.00	• •
suffruticosum		• •		• • •	• •
DRYAS drummondipkt45	• •	• • •	• •	• •	• •
integrifoliapkt45					
lanatapkt45					
octopetala pkt45					
sundermanni pkt45			::	. ::	
ELEAGNUS angustifolia	• •	::	.35	1.00	
ELSHOLTZIA stauntoni	• •	.50	1.50	• •	• •
ENKIANTHUS campanulatus		$.75 \\ .75$	$2.50 \\ 2.50$	• •	• •
ERICA arborea, clean seed	2 25	.10	2.50	• •	• •
carnea, in hull			.85	$2.\overline{50}$	• • •
cinerea, clean seed 1/16 oz. 2.00	6.00				
cinerea, hydrida, interesting introduction					
showing many shades, white, rose,					
salmon, scarlet, crimson					
	0 07	• •	• •	• •	• •
stricta, clean seed 1/16 oz75 tetralix, clean seed pkt50	2.25	• •	• •	• •	• •
EXOCHORDA serratifolia		2.75	$7.\overline{50}$	• •	• •
FORSYTHIA obovata, order from crop of	• •	2.10	1.00	• •	• •
1931		.90	2.75		
viridissima koreana, order from crop of					
1931		.70	2.00		
FREMONTIA californica		1.50	• •		
mexicana		3.00			• •
GAULTHERIA procumbens		1.20	$\frac{3.00}{2.00}$	6.00	• •
shallonGENISTA aetnensis	$.\dot{2}\dot{5}$	75	2 1 2	6.00	
anglica		5.00	2.10	• •	
canariensis		1.00	$2.\overset{\cdot}{25}$	8.00	
cinerea		5.00			
germanica		1.00	3.00		
hispanica		6.00			
horrida		7.00	1.00		
monosperma		.35	1.00	3.00	
monosperma pendula 100 seeds 1.00		7.00	• •	• •	
occidentalispilosa		.60	1.80	• •	• •
ри ова	• •	•00	1.00		

Jamaica Plain, Boston, Mass.

GENISTA—Continued	1/4 oz.	1 oz.	'¼ lb.	1 lb.	10 lb.
radicans	.85	2.50			
			• •	• •	• •
sagittalis		0 = 5	• •		• •
sulfurea	.95	2.75	<u>.</u> .		
tinctoria		.25	.75	2.20	
tinctoria auxantina, dwarf form of					
tinctoria	1.65	5.00			
HALESIA tetrapetera	1.00	.15	.45	1.25	• •
	1 00				• •
HALIMODENDRON halodendron	1.00	3.00	• •	• •	• •
HAMAMELIS mollis, upon request; early					
orders only.					
japonica		1.50	4.50		
vernalis, upon request, early orders only.		1.00	1.00	• •	• •
vernans, upon request, early orders only.		.20	co	1 77	
virginiana	• •		.60	1.75	• •
HEDERA helix			.25	.80	
hibernica			.25	.8 0	
Ivy seed must be planted as soon as ripe					
in May or June.					
HEDYSARUM multijugum pkt45					
HEDISAROM munijugum pkt40		• •	0.5	1 00	• •
HIBISCUS syriacus			.35	1.00	
HIPPOPHAE rhamnoides, clean seed			.60	1.75	
HOLODISCUS (Spiraea) ariaefolius		.40	1.20	3.25	
HYDRANGEA arborescens		.50	1.50		
petiolaris, American seed	.60	1.75	1.00	• • •	
				• •	: •
HYPERICUM aureum pkt45	::	<u>::</u>	• •		• •
calycinum	.25	.75			
coris pkt45					
hircinum	.25	.75			
kalmianum 1/32 oz25	.60			• •	
			• •	• •	• •
moserianum pkt45	• •	• •	. : :	• •	• •
patulum pkt25		.80	2.50		
patulum grandiflorum	.50				
patulum henryi	.50				
prolificum pkt45					
repens	1.00			• •	• •
		1.		1 50	• •
ILEX aquifolium		.15	.50	1.50	
crenata, clean seed		.35	1.35	3.00	
dubia macropoda		.50	1.60	3.75	
fujisanensis		1.50	4.50		
glabra			.25	.60	
	• •		1.35		• •
integra, clean seed	• •	.35		3.00	• •
latifolia, clean seed		.60	1.75	5.50	• •
microsocea		2.50	7.50		
monticola		.50	1.50	3.50	
- oldhami		.60	1.75	5.50	
			.25	.75	
opaca	• •	• •			• •
opaca, hardy New England seed		::	.50	1.50	• •
pedunculosa, clean seed		.60	1.75	5.50	
pedunculosa, dry berries		.40	1.10	2.50	
rotunda		.85	2.50	5.75	
serrata (Sieboldi) clean seed		1.00	3.50	00	• •
				0.75	• •
serrata, dry berries		.35	1.10	2.75	• •
sugeroki		.50	1.50	4.00	
verticillata			.35	1.00	
vomitoria			.35	1.00	
INDIGOFERA kirilovi			1.60	4.85	
KALMIA Latifolia, clean seed	$.\dot{60}$	1.75			• •
			• •	• •	• •
polifolia	.75	2.25	• •	• •	
KOELREUTERIA integrifolia ½ oz. 1.00			• •		
paniculata			.35	1.00	
KOLKWITZIA amabilis 250 seeds. 40, 100					
LABURNUM alpinum		.25	.80	2.50	
		.20		1.25	• •
vulgare			.40		• •
vulgare alschingeri	.60	1.75	• •	• •	• •
vulgare wateri	.60	1.75			

	1/		417 11	4 11	10.11
I A CED CED CEDICA	⅓ oz.	1 oz.	'⅓ lb.	1 lb.	10 lb.
LAGERSTROEMIA indica	• •	.20	.50	1.50	• •
LAUROCERASUS caroliniana	• •	• •	.30	.80	• •
lusitanica	• •	• •	.45	1.50	• •
officinalis	• •		.40	1.20	• •
LESPEDEZA bicolor alba	• •	.30	.70	2.00	• •
bicolor rosea		.20	.50	1.50	• •
formosa (Desmodium penduliflorum) 1/1					
LEUCOTHOE catesbaei, clean seed	.65	2.00	• •	• •	• •
keiskei	.85	2.50	• •	• •	• •
racemosa	.50	1.50	• •	::	• •
LIGUSTRUM amurense	• •	• •	::	.75	• •
ibota		• •	.30	.85	• •
japonicum	• •		• •	1.00	
lucidum	• •		.45	1.25	
nepalense	• •			1.25	
vulgare				.75	
LITHOSPERMUM graminifolia (Moltkia					
suffruticosa) $1/16$ oz. 1.50	4.50				
intermedium	4.50				
petraeum (Moltkia					
petrea) 1/16 oz. 1.50	4.50				
purpureo-coeruleum (Moltkia					
coerulea) 1/16 oz75	2.25	6.00	• •		
LOISELEURIA procumbens (Azalea pro-					
cumbens) charming alpine Azalea					
pkt45 1/16 oz. 2.20					
LONICERA nitida pkt45	• •				
pileata pkt45		• • •		• •	• •
MAGNOLIA acuminata	• • •	• • •	.70	2.00	• •
glauca (virginiana) New England seed	• •	• • •	1.25	3.50	• •
glauca (Southern seed)	• •	• • •	.60	1.80	• •
grandiflora				1.50	• •
tripetala	• •	• •	• •	$\frac{1.30}{2.25}$	• •
	• •	• •	.85	$\begin{array}{c} 2.23 \\ 2.50 \end{array}$	• •
MAHONIA aquifolium	• •	ċò			• •
aquifolium gracilis	• •	.60	1.50	4 00	• •
bealei (japonica)	• •	• •	1.35	4.00	• •
nepalensis, seed ripens in Spring, order		9.05	0.50		
for Summer planting	• •	3.25	8.50	4 00	• •
nervosa	• •		1.35	4.00	• •
repens	• •	.60	1.50		• •
MALUS baccata mandshurica	• •	.50	1.35	3.00	• •
coronaria	• •	.75	2.25	7.50	
prunifolia	• •			4.50	• •
prunifolia rinki	• •			4.75	
sieboldi toringo, dried in fruit				3.00	
MERATIA praecox (Calycanthus praecox)		.45	1.25	3.20	
praecox grandiflora		.60	1.75	5.00	
MYRICA caroliniensis			.70	2.00	
cerifera			.70	2.00	
NANDINA domestica, red berried, clean					
seed, from Japan		.45	1.25	3.75	
domestica, white berried, dry berries		.50	1.35	4.00	
OXYDENDRUM arboreum, in hull			.45	1.25	
PHILADELPHUS coronarius, clean seed		.65	1.85	5.50	• •
grandiflorus, clean seed	.45	.85	2.50		• • •
hirsutus		.80	2.30	$6.\overline{50}$	• •
inodorus	.45	1.25	$\frac{2.50}{3.50}$		• •
PHOTINIA arbutifolia (Heteromeles)		1.20	.70	2.00	• • •
glabra, clean seed			1.00	$\frac{2.00}{3.00}$	• •
serrulata	• •	• •	1.45	$\frac{3.00}{4.25}$	• •
villosa, clean seed	• •	• •	$\frac{1.45}{1.25}$	3.50	• •
	• •	• •	1.40	0.00	• •
PHYSOCARPUS opulifolius (Spiraea opuli-		95	0.5	9 75	
folia)		.35	.95	2.75	

	½ oz.	1 oz.	'¼ lb.	1 lb.	10 lb.
PIERIS floribunda, clean seed		1.20	3.00		
japonica, clean seed	.30	.85	2.50		
japonica pygmaea, charming dwarf al-					
pine Andromeda		7.50			
POLYGONUM auberti		3.00			
baldshuanicum	1.00	3.00			
PRUNUS armeniaca ansu, Chinese Apricot			.85	2.50	
glandulosa sinensis, Flowering Almond			.90	2.60	
grayana, Japanese Bird Cherry			1.40	4.25	
humilis (bungei), Chinese Dwarf Cherry			.80	3.20	
ilicifolia, Hollyleaf Cherry			.60	1.80	• • •
japonica nakai, Korean Flowering Al-	• •		•••	2.00	• • •
mond		1.65	5.00		
lannesiana, Japanese Flowering Cherry,	• •	2.00	0.00	• •	• • •
Hitoye			.90	2.75	
lannesiana Oshino variety		• • • • • • • • • • • • • • • • • • • •	1.10	3.25	• •
lyoni (integrifolia), Catalina Cherry	• • •	• • •	.50	1.50	• •
mandshurica, Manchurian Apricot		• • •	.70	2.00	• •
mume, Japanese Apricot	• •	• • •		.80	• •
salicina (tri-flora), Japanese Plum			.95	2.75	• •
serrulata, Japanese Mountain Cherry	• •	• •	.75	$\frac{2.15}{2.25}$	• •
serrulata albi grandiflora, white flower-	• •	• •	.10	2.20	• •
			1 75	5.25	
ing variety	• •	• •	$\frac{1.75}{1.45}$	$\frac{3.25}{4.25}$	• •
serrulata, brilliant rose	• •	• •	$1.45 \\ 1.35$	$\frac{4.25}{4.00}$	
serrulata, pink	• •	• •	1.55	4.00	• •
serrulata sachalinensis (sargenti) Yezo-					
Yama Cherry, the hardiest of Flower-		0.5	1 00	0.00	
ing Cherries	• •	.35	1.00	3.00	• •
subhirtella	• •	4.0	.80	3.25	• •
subhirtella pendula	• •	.40	1.15	3.50	• •
tomentosa, Nanking Cherry	• •	• •	70	2.00	• •
triloba, Flowering Plum	• •	::	1.25	3.60	• •
yedoensis, Flowering Cherry—Yoshino	• •	.45	1.35	4.00	• •
PYRACANTHA angustifolia	• •	.35	.95	2.50	• •
coccinea	• •		.35	1.00	• •
coccinea lalandi	• •	.20	.50	1.50	• •
coccinea lalandi, New England dry ber-		50	1 05		
ries	• •	.50	1.25	1 FO	• •
crenulata yunnanensis		.20	.50	1.50	• •
rogersiana	.35	1.00	• •	• •	• •
rogersiana aurantiaca	.35	1.00	• •	• •	• •
rogersiana flava		1.00	• •	• •	• •
rogersiana gibbsi		1.00	; :	:	• •
RHAMNUS alaternus	• •	• •	.45	1.25	• •
alpinus, ornamental dwarf shrub for	0.5				
rockeries		.75	::	4 00	• •
carolina		• •	.35	1.00	• •
catharticus		• •	.45	1.25	
frangula		• •	.50	1.40	• •
purshianus		• •	.70	2.00	
utilis	• •	• •	.60	1.75	• •
RHODODENDRON. Listed on page 10-11					
RHODOTYPUS kerrioides	• •	• •	.85	2.50	
RHUS canadensis		• •	.40	1.25	
cotinus	• •	• •	1,00	2.80	
glabra		• •	• •	.65	
typhina		• •		.65	• •
RIBES sanguineum			1.65	5.00	
ROBINIA viscosa			.70	2.00	
-prunifolia		50	-1.50	• • •	
ROŠA banksiae	.20	.40	1.20	. ::	
blanda			.35	1.00	
californica			::	1.50	
canina, clean seed		• •	.25	.70	
chinensis		.25	.75		

ROSA—Continued	⅓ oz.	1 oz.	'¼ lb.	1 lb.	10 lb.
cinnamomea pkt35	• •	::			• •
coreifolia froebeli (laxa), clean seed	• •	.35	1.10	3.20	• •
davurica	• •	• •	.75	2.20	• •
hugonis, upon request	• •	• •	• •	1 00	• •
humilis	• •	• •	.35	1.00	• •
lucida (virginiana)	• •	• •	.35	1.00	• •
maximowicziana	• •	• •	.80	2.40	• •
multiflora (polyantha), domestic seed multiflora inermis, thornless M., do-	• •	• •	• •	1.25	• •
mestic seed	s 1.75	• •	• •	1.25	• •
nipponensis, Japanese Alpine Rose		.80	2.40		
nitida			.40	1.15	
odorata (thea)		.85	2.50		
palustris			.35	1.00	
pendulina (alpina)	::	.30	.80		
phoenicea	.95	2.80			
pisocarpa	.55	1.65	• •		
pomifera (villosa)		.35	.80	2.25	
rubiginosa	• •	. ::	.30	.80	
rubrifolia	.70	2.10			
rugosa	::	<u>::</u>	.50	1.50	
rugosa alba	.25	.75	. ::		
sericea	• •	.35	1.00		
setigera	• •		.50	1.50	
spinosissima (pimpinellifolia)	.70	2.10		• •	
wichuriana, clean seed, imported			.50	1.50	
RUSCUS aculeatus	• •		.50	1.50	
racemosus			.55	1.60	
SAMBUCUS canadensis	• •		.40	1.25	
nigra, clean seed			.60	1.80	
nigra laciniata	.25	.55			
pubens	• •	.25	.70	2.00	
racemosa, clean seed		.30	.80	2.40	
racemosa serratifolia	• •	.25	.65	2.00	
SCHIZOPHRAGMA hydrangeoides	• •	.75	2.25	• •	
SKIMMIA japonica	::	1.00	3.00	• •	
SOPHORA vicifolia	.35	1.00		• •	
SORBARIA aitchisoni	.25	.60	1.50	• •	• •
arborea	.50	• •		• •	
assurgens	.25	.60	1.50		• •
lindleyana	.25	.45	1.35	4.00	
sorbifolia	.25	.70	2.10		
sorbifolia stellipila	::		1.50	4.50	
SPARTIUM junceum	.20	. ::	.50	1.50	• •
SPIRAEA japonica	.50	1.50	5.00	• •	• •
latifolia	.20	.60	• •	• •	
tomentosa	.20	.60	a ::	• •	• •
trichocarpaSTAUNTONIA hexaphylla, evergreen	.35	1.00	2.75	• •	• •
Akebia		3.10	8.50		
SYMPLOCOS paniculata (crataegoides)	• •	1.00	3.00	• •	• •
SYRINGA amurensis, clean seed	• •	1.00	2.50	7.50	• •
dilatata	• •	.80	2.35	7.00	• • •
japonica		•••	2.65	8.00	• •
josikaea	• •	• • •	2.35	9.00	• •
microphylla	$.\dot{50}$	$1.\overline{50}$	$\frac{2.35}{4.25}$	3.00	• •
oblata	.35	1.00	3.00		• •
villosa	.30	.80	2.40	• •	• •
vulgaris, clean seed		.40	$\frac{2.40}{1.15}$	$3.\overline{50}$	• •
vulgaris, crean seedvulgaris alba, white		.40	1.50	4.50	• •
vulgaris, collected from double dark				4.00	• •
varietiesvulgaris, collected from double white	.55	1.60	• •	••	• •
varieties	.55	1.60	• •	• •	• •

19

	1/4 oz.	1 oz.	'¼ lb.	1 lb.	10 lb.
TAMARIX gallica		.30	.85	2.50	
ULEX europaeus		• •	.85	2.50	
VACCINIUM corymbosum, order early			.65	2.00	• •
macrocarpon				1.00	
myrtillus		• •	$.\overline{55}$	1.60	
pennsylvanicum, order early			.65	2.00	
vitis idaea			.85	2.50	
VIBURNUM acerifolium			.30	.80	
americanum, dry berries			.40	1.10	
americanum, clean seed			.90	2.80	
bitchuiense, clean seed				$\frac{2.50}{3.50}$	
carlesi, clean seed		1.00	3.00	8.50	
cassinoides			.40	1.00	• •
dentatum			.40	1.00	
dilatatum, clean seed			.65	2.00	• •
erosum, clean seed		• • • • • • • • • • • • • • • • • • • •	1.75	5.00	
furcatum, clean seed			.95	2.75	
koreanum, Korean broadleaved V	• •	• • •	1.00	4.00	• •
lantana, dry berries			.40	1.10	• •
lantana, clean seed		• •		$\frac{1.10}{2.00}$	• •
	• •	• •	40		
lentago	• •	1 05	.40	1.00	• •
molle, clean seed	• •	1.25		1 00	• •
nudum	• •	• •	.40	1.20	• •
odoratissimum	• •	• •	.75	2.25	• •
opulus, dry berries	• •	• •	.50	1.50	• •
opulus, clean seed	• •	• •	.85	2.50	
prunifolium			.45	1.25	
rhytidophyllum 100 seeds .40 1000 se	eds 2.0	00			
rufidulum			.60	1.60	
sargenti (pubinerve), clean seed			.90	2.75	
scabrellum			.70	2.00	
sieboldi, clean seed			.85	2.60	
tinus			.40	1.10	
tomentosum, clean seed			1.10	3.20	
venosum (pubescens) canbyi			.75	2.00	
wrighti			1.00	3.00	
VITEX agnus-castus		.15	.45	1.25	
agnus-castus albus, white			.50	1.50	
negundo incisa				1.75	
VITIS aestivalis				2.00	
coignetiae			.60	1.80	
cordifolia				2.00	
labrusca, order early	• •		• •	2.00	
titanea, Giant Grape with magnificent	• •	• •	* *		
foliage	.35	1.00			
vulpina, order early				2.00	
WISTERIA frutescens	• •		1.10	3.25	
japonica, new Autumn Flowering Wis-	• •	• •	2.20	0.20	• •
teria		1.25	3.75		
multijuga, blue, Long Cluster Wisteria	• •	1.20	1.00	3.00	• •
multijuga, white		• •	1.00	3.75	• •
multijuga, rose	• •	• •	$\frac{1.00}{2.00}$	6.00	• •
sinensis, blue	• •	• •		1.25	• •
sinensis, white	• •	• •	• •	$\frac{1.25}{2.75}$	• •
	• •	• •	$1.\overset{\cdot}{30}$	$\frac{2.15}{3.80}$	• •
venusta, white	- 15	• •		4.00	• •
		40	1.35		• •
YUCCA aloifolia	• •	.40	1.10	3.25	• •
baccata	• •	.60	1.80	• •	• •
brevifolia	•••	.60	1.80	• •	• •
elata stricta 10 seeds .40 100 seeds 1.	bU		= 0	0.00	
filamentosa	• • •	.25	.70	2.00	• •
gigentea, new hardy variety, 10 seeds .40	100	seeds		0.00	
glauca (angustifolia)	• •	.25	.75	2.00	• •
gloriosa	• •	.75	1.80	. : :	
whipplei	• •	.50	1.15	3.50	



